

***Manufactured by Superior
Technology From USA***



PT. WHITE DOVE INDONESIA

3S SAFE
SHARP
SPECIALIZE

#1 Trusted Brand in Cutting
and Grinding Wheel





FLEXIBLE GRINDING WHEEL

Size (mm) D x T x H	Material	Grade	Hardness	Max Linear Velocity	Pcs/Ctn
100/103x2.5x16	AC	F46/60/80/100/120	Q	72(13700)	200
100/103x2.5x16	WA	F46/60/80/100/120	Q	72(13700)	200
100/103X2.8/3X16	AC	F46/60/80/100/120	Q	72(13700)	200
100/103X2.8/3X16	WA	F46/60/80/100/120	Q	72(13700)	200

GRINDING WHEEL

Size (mm) D x T x H	Material	Grade	Hardness	Max Linear Velocity	Pcs/Ctn
100x6x16	A/WA/C/GC	F24	Q/R/S/T	70/80(13700/15300)	200
115x6x22	A/WA/C/GC	F24	Q/R/S/T	72/80(11630/13300)	100
125x6x22	A/WA/C/GC	F24	Q/R/S/T	70/80(10700/12230)	100
150x6x22	A/WA/C/GC	F24	Q/R/S/T	70/80(8900/10190)	100
180x6x22	A/WA/C/GC	F24	Q/R/S/T	70/80(7430/8500)	50
230x6x22	A/WA/C/GC	F24	Q/R/S/T	70/80(5800/6640)	50

CUTTING WHEEL

Size (mm) D x T x H	Material	Grade	Hardness	Max Linear Velocity	Pcs/Ctn
100x2.0x16	A/WA/C/GC	F36/40	Q/R	70/80(13700/15300)	200
100x2.5x16	A/WA/C/GC	F36	Q/R	72/80(13700/15300)	300
125x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(10700/12230)	200
150x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(8900/10190)	100
180x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(7430/8500)	100
100x3.0x16	A/WA/C/GC	F24/30	Q/R	72/80(13700/15300)	300
125x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(10700/12230)	200
150x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(8900/10190)	100
180x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(7430/8500)	100
230x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(5800/6640)	100
355x3x25.4	A/WA/C/GC	F24/30	Q/R	72/80(3900/4400)	25
405x3x25.4	A/WA/C/GC	F24/30	Q/R	72/80(3400/3800)	25

Abrasive Wheel Safety:

Please always refer to the operating manual for specific operational guidance before handling the abrasives. Correct operational steps are strongly advised to avoid over-stressing the abrasive wheels which may result in fatal accidents. Never operate abrasive wheels at speeds (RPM) higher than the maximum speed marked on the abrasive wheels.

WD proudly present the cutting-edge new designs of our products with reinforced technologies.

- Double Reinforced Abrasive Mesh Technology
- Shock Absorption Ring Technology

EXTREME SHARPNESS AND DURABILITY

size : 14" (inch)



Type 41 Cutting
Suitable for pipe, bar plate

size : 4" (inch)



New Sticker

size : 4" (inch)



OUR NEW PRODUCT

Type 41 Cutting
Size 14" (inch)

Type 27 Grinding
Size 4" (inch)



Product Features:

Dynamic Design >>> Premium Quality >>> Superior Performance
Extreme Sharpness >>> Ultimate Durability

Established in 1999, WD Indonesia manufacture and supply premium quality abrasive products to our valued customers. WD's flagship products such as the 4 inch, 7 inch and 14 inch abrasive wheels are test-proven to have excellent SAFENESS, SHARPNESS and DURABLENESS. WD's relentless pursuit of integrity and quality throughout our manufacturing facilities reflect WD's philosophy of providing the superior abrasive products for customers who seek the highest levels of quality and service.



PT. WHITE DOVE INDONESIA

Jl. Melawan No. 69 E, Pangeran Jayakarta,
Jakarta Pusat 10730 - Indonesia

Telp : (62-21) 6240111, 6240333, 6246216
(62-21) 6246917, 6285680

Fax : (62-21) 6295 960, 6240 345

www.wdindonesia.com