

CUTTING GRINDING SOLUTION



PT WD INDONESIA



Manufactured by Superior
Technology From USA

#1 Trusted Brand in Cutting
and Grinding Wheel

FLEXIBLE GRINDING WHEEL

Size(mm) D x T x H	Material	Grade	Hardness	Max. Linear Velocity	Pcs/Ctn
100x3.0x16	AC	F46/60/80/100/120	Q	72(13700)	200
100x3.0x16	WA	F46/60/80/100/120	Q	72(13700)	200

GRINDING WHEEL

Size(mm) D x T x H	Material	Grade	Hardness	Max. Linear Velocity	Pcs/Ctn
100x6.0x16	A/WA/C/GC	F24	Q/R/S/T	72/80(13700/15300)	200
115x6.0x22	A/WA/C/GC	F24	Q/R/S/T	72/80(11630/13300)	100
125x6.0x22	A/WA/C/GC	F24	Q/R/S/T	70/80(10700/12230)	100
150x6.0x22	A/WA/C/GC	F24	Q/R/S/T	70/80(8900/10200)	100
180x6.0x22	A/WA/C/GC	F24	Q/R/S/T	70/80(7430/8500)	50
230x6.0x22	A/WA/C/GC	F24	Q/R/S/T	70/80(5800/6650)	50

CUTTING WHEEL

Size(mm) D x T x H	Material	Grade	Hardness	Max. Linear Velocity	Pcs/Ctn
105x1.2x16	A/WA/C/GC	F46/60/80/100/120	Q/R/S/T	70/80(14560)	600
100x2.5x16	A/WA/C/GC	F36	Q/R	72/80(13700/15300)	300
125x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(10700/12230)	200
150x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(8900/10190)	100
180x2.5x22.23	A/WA/C/GC	F36	Q/R	70/80(7430/8500)	100
100x3.0x16	A/WA/C/GC	F24/30	Q/R	72/80(13700/15300)	200
125x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(10700/12230)	200
150x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(8900/10190)	100
180x3.0x22.23	A/WA/C/GC	F24/30	Q/R	70/80(7430/8500)	100
230x3.0x22.23	A/WA/C/GC	F24/30	Q/R	72/80(5800/6640)	100
355x3.0x25.4	A/WA/C/GC	F24/30	Q/R	72/80(3900/4400)	25
405x3.0x25.4	A/WA/C/GC	F24/30	Q/R	72/80(3400/3800)	25

Abrasive Wheel Safety

Please always refer to the operating manual for specific operational guidance before handling the abrasives. Correct operational steps are strongly advised to avoid over-stressing the abrasive wheels which may result in fatal accidents. Never operate abrasive wheels at speeds (RPM) higher than the maximum speed marked on the abrasive wheels.

WD proudly present the cutting-edge new design of our products with reinforced technologies.

- Double Reinforced Abrasive Mesh Technology
- Shock Absorption Ring Technology

EXTREME SHARPNESS AND DURABILITY



size : 14" (inch)

Type 41 Cutting

Suitable for pipe, bar plate



size : 4" (inch)

Type 41 Grinding



size : 4" (inch)

Type 27 Grinding



size : 4", 5", 6", 7" (inch)

Type 41 Cutting



size : 4", 5", 6", 7" (inch)

Type 27 Grinding



size : 4", 5", 6", 7" (inch)

Product Features:

Dynamic Design ▶▶▶ Premium Quality ▶▶▶ Superior Performance
 Extreme Sharpness ▶▶▶ Ultimate Durability

Established in 1999, WD Indonesia Manufacture and supply premium quality abrasive products to our valued customer. WD's flagship products such as the 4 inch, 7 inch and 14 inch abrasive wheels are test-proven to have excellent SAFENESS, SHARPNESS and DURABLENESS. WD's relentless pursuit if integrity and quality throughout our manufacturing facilities reflect WD's philosophy of providing the superior abrasive products for customer who seek the high



3S SAFE
SHARP
SPECIALIZE



PT WD INDONESIA

Kawasan Industri Sentul
Jl. Lintang Raya E11, Babakan Madang
Bogor Jawa Barat 16810

Telp : (+62) 21 3117 2666
Email : wdi.corp@wdindonesia.com

